



ZAP by  
Checkmarx

# GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do>

Generated on Sat, 11 Apr 2026 16:41:40

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	144

## Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, configCaches,resetSearch)
Method	GET
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>configCaches=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes</a></p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, configCaches,resetSearch)</p>
Method	<p>GET</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&amp;configCaches=yes&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>resetSearch=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&amp;resetSearch=yes</a></p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, resetSearch)</p>
Method	<p>GET</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p>

	<p>resetSearch=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred, corsAAllHead,corsAAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthn=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred, corsAAllHead,corsAAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthz=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConfig=lru</p> <p>The user-controlled value was:</p> <p>lru</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConsegna=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheDatiRichieste=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheRegistry=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  algoritmocacheToken=lru  The user-controlled value was:  lru
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>canaliStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>configCaches=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTEroSoggFru=ESCLUDI_SOGGETTO_EROGATORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_erogatore</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTFruSoggEro=ESCLUDI_SOGGETTO_FRUITORE</p>

	The user-controlled value was:  escludi_soggetto_fruitore
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  ConfMTStato=abilitato  The user-controlled value was:  abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>connessione=reply</p> <p>The user-controlled value was:</p> <p>reply</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>controllo=rigido</p> <p>The user-controlled value was:</p> <p>rigido</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllHdr=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllMeth=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllOrig=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlIPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllCred=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlIPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>corsAllHead=Authorization,Content-Type,SOAPAction,Cache-Control</p> <p>The user-controlled value was:</p> <p>authorization,content-type,soapaction,cache-control</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllMeth=GET,PUT,POST,DELETE,PATCH</p> <p>The user-controlled value was:</p> <p>get,put,post,delete,patch</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAge=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAgeSec=28800</p> <p>The user-controlled value was:</p> <p>28800</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsTipo=gateway</p> <p>The user-controlled value was:</p> <p>gateway</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>crllifecacheKeystore=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel_, __i_hidden_lockurl_,__i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthn=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthz=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConfig=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue___,csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConsegna=10000</p>

	The user-controlled value was:  10000
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  dimensionecacheDatiRichieste=15000  The user-controlled value was:  15000
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheRegistry=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheToken=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePD=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>edit-mode=end</p> <p>The user-controlled value was:</p> <p>end</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlIPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>gestman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlIPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>idlecacheAuthn=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheAuthz=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheConfig=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheDatiRichieste=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecachecacheRegistry=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheToken=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>integman=custom</p> <p>The user-controlled value was:</p> <p>custom</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthn=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthz=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheConfig=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheDatiRichieste=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheRegistry=7200</p>

	The user-controlled value was:  7200
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  lifecacheToken=7200  The user-controlled value was:  7200
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>nomeintegman=basic,ssl</p> <p>The user-controlled value was:</p> <p>basic,ssl</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>profcoll=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamemodipa=modipa</p> <p>The user-controlled value was:</p> <p>modipa</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamesdi=sdi</p> <p>The user-controlled value was:</p> <p>sdi</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	<p>POST</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamespcoop=spcoop</p> <p>The user-controlled value was:</p> <p>spcoop</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNametrasparente=trasparente</p> <p>The user-controlled value was:</p> <p>trasparente</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>protocolConfigUrlPA=http://localhost:8080/govway/</p> <p>The user-controlled value was:</p> <p>http://localhost:8080/govway/</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>registrazioneTracce=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>resCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> )(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita_log4j=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>stato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthn=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthz=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConfig=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConsegna=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheDatiRichieste=abilitato</p>

	The user-controlled value was:  abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  statocacheKeystore=disabilitato  The user-controlled value was:  disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRegistry=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRisposte=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheToken=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>utilizzo=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>validman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthn=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>algoritmocacheAuthz=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecachelAuthn, lifecachelAuthz, lifecachelConfig, lifecachelConsegna, lifecachelDatiRichieste, lifecachelRegistry, lifecachelToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConfig=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecachelAuthn, lifecachelAuthz, lifecachelConfig, lifecachelConsegna, lifecachelDatiRichieste, lifecachelRegistry, lifecachelToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>



URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheRegistry=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheToken=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>canaliStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTEroSoggFru=ESCLUDI_SOGGETTO_EROGATORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_erogatore</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTFruSoggEro=ESCLUDI_SOGGETTO_FRUITORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_fruitore</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensioneecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensioneecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>connessione=reply</p> <p>The user-controlled value was:</p> <p>reply</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>controllo=rigido</p>



Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllMeth=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllOrig=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllCred=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllHead=Authorization,Content-Type,SOAPAction,Cache-Control</p> <p>The user-controlled value was:</p> <p>authorization,content-type,soapaction,cache-control</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4],stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllMeth=GET,PUT,POST,DELETE,PATCH</p> <p>The user-controlled value was:</p> <p>get,put,post,delete,patch</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecachAuthn,lifecachAuthz,lifecachConfig,lifecachConsegna,lifecachDatiRichieste, lifecachRegistry,lifecachToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsExpHead=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocachAuthn,algoritmocachAuthz, algoritmocachConfig,algoritmocachConsegna,algoritmocachDatiRichieste, algoritmocachRegistry,algoritmocachToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecachKeystore, dimensionecachAuthn,dimensionecachAuthz,dimensionecachConfig, dimensionecachConsegna,dimensionecachDatiRichieste,dimensionecachRegistry, dimensionecachToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecachAuthn,lifecachAuthz,lifecachConfig,lifecachConsegna,lifecachDatiRichieste, lifecachRegistry,lifecachToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>corsMaxAge=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAgeSec=28800</p> <p>The user-controlled value was:</p> <p>28800</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>



URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthn=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthz=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConfig=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConsegna=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheDatiRichieste=15000</p> <p>The user-controlled value was:</p> <p>15000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlcacheAuthn, idlcacheAuthz, idlcacheConfig, idlcacheConsegna, idlcacheDatiRichieste, idlcacheRegistry, idlcacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheRegistry=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlcacheAuthn, idlcacheAuthz, idlcacheConfig, idlcacheConsegna, idlcacheDatiRichieste, idlcacheRegistry, idlcacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheToken=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePA=disabilitato</p>

	The user-controlled value was:  disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  dumpConnettorePD=disabilitato  The user-controlled value was:  disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>edit-mode=end</p> <p>The user-controlled value was:</p> <p>end</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>gestman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAIILHdr,corsAAIIMeth,corsAAIIOrig,corsAIIICred,corsAIIHHead,corsAIIIMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>integman=custom</p> <p>The user-controlled value was:</p> <p>custom</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAIILHdr,corsAAIIMeth,corsAAIIOrig,corsAIIICred,corsAIIHHead,corsAIIIMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthn=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthz=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheConfig=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>lifecacheDatiRichieste=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheRegistry=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheToken=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>nomeintegman=basic,ssl</p> <p>The user-controlled value was:</p> <p>basic,ssl</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>profcoll=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamemodipa=modipa</p> <p>The user-controlled value was:</p> <p>modipa</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamesdi=sdi</p> <p>The user-controlled value was:</p> <p>sdi</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamespcoop=spcoop</p> <p>The user-controlled value was:</p> <p>spcoop</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNametrasparente=trasparente</p> <p>The user-controlled value was:</p> <p>trasparente</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigUrlPA=http://localhost:8080/govway/</p> <p>The user-controlled value was:</p> <p>http://localhost:8080/govway/</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigUrlPD=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>registrazioneTracce=abilitato</p>

	The user-controlled value was:  abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  resCacheStato=disabilitato  The user-controlled value was:  disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita_log4j=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,aloritmocacheAuthn,aloritmocacheAuthz,aloritmocacheConfig,aloritmocacheConsegna,aloritmocacheDatiRichieste,aloritmocacheRegistry,aloritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAIIICred,corsAIIILHead,corsAIIIMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>stato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,aloritmocacheAuthn,aloritmocacheAuthz,aloritmocacheConfig,aloritmocacheConsegna,aloritmocacheDatiRichieste,aloritmocacheRegistry,aloritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAIIICred,corsAIIILHead,corsAIIIMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthn=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthz=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do )(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>statocacheConfig=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConsegna=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheDatiRichieste=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> (ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheKeystore=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRegistry=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRisposte=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheToken=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a> ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>utilizzo=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do">http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</a></p>

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: validman=abilitato The user-controlled value was: abilitato
Instances	144
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>