



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do>

Generated on Sat, 11 Apr 2026 16:40:48

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

Alerts

Name	Risk Level	Number of Instances
User Controllable HTML Element Attribute (Potential XSS)	Informational	144

Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&configCaches=yes&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, configCaches,resetSearch)
Method	GET
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&configCaches=yes&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>configCaches=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&configCaches=yes&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, configCaches,resetSearch)</p>
Method	<p>GET</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=fc5da9a3-e12a-4ad2-8a27-5609ed9f7389&configCaches=yes&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>resetSearch=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do (__prevTabKey__, resetSearch)</p>
Method	<p>GET</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do?__prevTabKey__=bca2a931-dd74-4b0a-8b14-fb4d5abc6521&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p>

	<p>resetSearch=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred, corsAAllHead,corsAAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthn=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred, corsAAllHead,corsAAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthz=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConfig=lru</p> <p>The user-controlled value was:</p> <p>lru</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConsegna=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheDatiRichieste=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheRegistry=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheToken=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>canaliStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>configCaches=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTEroSoggFru=ESCLUDI_SOGGETTO_EROGATORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_erogatore</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTFruSoggEro=ESCLUDI_SOGGETTO_FRUITORE</p>

	The user-controlled value was: escludi_soggetto_fruitore
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ConfMTStato=abilitato The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>connessione=reply</p> <p>The user-controlled value was:</p> <p>reply</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>controllo=rigido</p> <p>The user-controlled value was:</p> <p>rigido</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllHdr=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllMeth=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllOrig=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllCred=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>corsAllHead=Authorization,Content-Type,SOAPAction,Cache-Control</p> <p>The user-controlled value was:</p> <p>authorization,content-type,soapaction,cache-control</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllMeth=GET,PUT,POST,DELETE,PATCH</p> <p>The user-controlled value was:</p> <p>get,put,post,delete,patch</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn, algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna, algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato, configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred, corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo, crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz, dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste, dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD, edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAge=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAgeSec=28800</p> <p>The user-controlled value was:</p> <p>28800</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsTipo=gateway</p> <p>The user-controlled value was:</p> <p>gateway</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>crllifecacheKeystore=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthn=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthz=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConfig=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue___,csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConsegna=10000</p>

	The user-controlled value was: 10000
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: dimensionecacheDatiRichieste=15000 The user-controlled value was: 15000
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheRegistry=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheToken=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePD=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>edit-mode=end</p> <p>The user-controlled value was:</p> <p>end</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>gestman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>idlecacheAuthn=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheAuthz=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheConfig=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheDatiRichieste=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecachecacheRegistry=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>idlecacheToken=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>integman=custom</p> <p>The user-controlled value was:</p> <p>custom</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthn=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel_,__i_hidden_lockurl_,__i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthz=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheConfig=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheDatiRichieste=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue___,csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheRegistry=7200</p>

	The user-controlled value was: 7200
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: lifecacheToken=7200 The user-controlled value was: 7200
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>nomeintegman=basic,ssl</p> <p>The user-controlled value was:</p> <p>basic,ssl</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>profcoll=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamemodipa=modipa</p> <p>The user-controlled value was:</p> <p>modipa</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamesdi=sdi</p> <p>The user-controlled value was:</p> <p>sdi</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamespcoop=spcoop</p> <p>The user-controlled value was:</p> <p>spcoop</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste,</p>

Node Name	dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNametrasparente=trasparente</p> <p>The user-controlled value was:</p> <p>trasparente</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>protocolConfigUrlPA=http://localhost:8080/govway/</p> <p>The user-controlled value was:</p> <p>http://localhost:8080/govway/</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>registrazioneTracce=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>resCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita_log4j=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>stato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato,</p>

Node Name	configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthn=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthz=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConfig=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConsegna=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue___,csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheDatiRichieste=abilitato</p>

	The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: statocacheKeystore=disabilitato The user-controlled value was: disabilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRegistry=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecacheAuthn, idlecacheAuthz, idlecacheConfig, idlecacheConsegna, idlecacheDatiRichieste, idlecacheRegistry, idlecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRisposte=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_,</p>

Node Name	__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheToken=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato,ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>utilizzo=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(CTCacheStato, ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>validman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheAuthn=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>algoritmocacheAuthz=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheConfig=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheRegistry=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>algoritmocacheToken=lru</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>canaliStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTEroSoggFru=ESCLUDI_SOGGETTO_EROGATORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_erogatore</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTFruSoggEro=ESCLUDI_SOGGETTO_FRUITORE</p> <p>The user-controlled value was:</p> <p>escludi_soggetto_fruitore</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>ConfMTStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, __csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>connessione=reply</p> <p>The user-controlled value was:</p> <p>reply</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>controllo=rigido</p>

	The user-controlled value was: rigido
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: corsAAllHdr=false The user-controlled value was: false
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllMeth=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAAllOrig=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllCred=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllHead=Authorization,Content-Type,SOAPAction,Cache-Control</p> <p>The user-controlled value was:</p> <p>authorization,content-type,soapaction,cache-control</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4],stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)</p>
Method	<p>POST</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsAllMeth=GET,PUT,POST,DELETE,PATCH</p> <p>The user-controlled value was:</p> <p>get,put,post,delete,patch</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAIILHdr,corsAAIIMeth,corsAAIILOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsExpHead=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>corsMaxAge=yes</p> <p>The user-controlled value was:</p> <p>yes</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>corsMaxAgeSec=28800</p> <p>The user-controlled value was:</p> <p>28800</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthn=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheAuthz=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConfig=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheConsegna=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheDatiRichieste=15000</p> <p>The user-controlled value was:</p> <p>15000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlcacheAuthn, idlcacheAuthz, idlcacheConfig, idlcacheConsegna, idlcacheDatiRichieste, idlcacheRegistry, idlcacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheRegistry=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlcacheAuthn, idlcacheAuthz, idlcacheConfig, idlcacheConsegna, idlcacheDatiRichieste, idlcacheRegistry, idlcacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dimensionecacheToken=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecachAuthn,idlecachAuthz,idlecachConfig,idlecachConsegna, idlecachDatiRichieste,idlecachRegistry,idlecachToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>dumpConnettorePA=disabilitato</p>

	The user-controlled value was: disabilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: dumpConnettorePD=disabilitato The user-controlled value was: disabilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlIPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>edit-mode=end</p> <p>The user-controlled value was:</p> <p>end</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>gestman=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>integman=custom</p> <p>The user-controlled value was:</p> <p>custom</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthn=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheAuthz=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheConfig=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>lifecacheDatiRichieste=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheRegistry=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

	severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>lifecacheToken=7200</p> <p>The user-controlled value was:</p> <p>7200</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>nomeintegman=basic,ssl</p> <p>The user-controlled value was:</p> <p>basic,ssl</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>profcoll=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamemodipa=modipa</p> <p>The user-controlled value was:</p> <p>modipa</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamesdi=sdi</p> <p>The user-controlled value was:</p> <p>sdi</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNamespcoop=spcoop</p> <p>The user-controlled value was:</p> <p>spcoop</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigNametrasparente=trasparente</p> <p>The user-controlled value was:</p> <p>trasparente</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigUrlPA=http://localhost:8080/govway/</p> <p>The user-controlled value was:</p> <p>http://localhost:8080/govway/</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman,</p>

	lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>protocolConfigUrlPD=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>registrazioneTracce=abilitato</p>

	The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: resCacheStato=disabilitato The user-controlled value was: disabilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel_, __i_hidden_lockurl_, __i_hidden_lockvalue_, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensionecacheAuthn, dimensionecacheAuthz, dimensionecacheConfig, dimensionecacheConsegna, dimensionecacheDatiRichieste, dimensionecacheRegistry, dimensionecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachAuthn, idlecachAuthz, idlecachConfig, idlecachConsegna, idlecachDatiRichieste, idlecachRegistry, idlecachToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>severita_log4j=infoIntegration</p> <p>The user-controlled value was:</p> <p>infointegration</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__,</p>

Node Name	__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>stato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAA=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecachecacheAuthn, lifecachecacheAuthz, lifecachecacheConfig, lifecachecacheConsegna, lifecachecacheDatiRichieste, lifecachecacheRegistry, lifecachecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthn=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAIILHdr, corsAAIIMeth, corsAAIIOrig, corsAIIICred, corsAIIHHead, corsAIIIMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry,</p>

Node Name	dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheAuthz=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do)(ConfMTEroSoggFru, ConfMTFruSoggEro,ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl_, __i_hidden_lockvalue_,_csrf,algoritmocacheAuthn,algoritmocacheAuthz, algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste, algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione, controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAAllCred,corsAAllHead,corsAAllMeth, corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crllifecacheKeystore, dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig, dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry, dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman, idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna, idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman, lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste, lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa, protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente, protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita, severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig, statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry, statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>statocacheConfig=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheConsegna=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAAllCred, corsAAllHead, corsAAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachelAuthn, idlecachelAuthz, idlecachelConfig, idlecachelConsegna, idlecachelDatiRichieste, idlecachelRegistry, idlecachelToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita,</p>

URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRegistry=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlIPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheRisposte=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione, controllo, corsAAllHdr, corsAAllMeth, corsAAllOrig, corsAllCred, corsAllHead, corsAllMeth, corsExpHead, corsMaxAge, corsMaxAgeSec, corsStato, corsTipo, crllifecacheKeystore, dimensioneecacheAuthn, dimensioneecacheAuthz, dimensioneecacheConfig, dimensioneecacheConsegna, dimensioneecacheDatiRichieste, dimensioneecacheRegistry, dimensioneecacheToken, dumpConnettorePA, dumpConnettorePD, edit-mode, gestman, idlecachecacheAuthn, idlecachecacheAuthz, idlecachecacheConfig, idlecachecacheConsegna, idlecachecacheDatiRichieste, idlecachecacheRegistry, idlecachecacheToken, inoltromin, integman, lifecacheAuthn, lifecacheAuthz, lifecacheConfig, lifecacheConsegna, lifecacheDatiRichieste, lifecacheRegistry, lifecacheToken, nomeintegman, profcoll, protocolConfigNamemodipa, protocolConfigNamesdi, protocolConfigNamespcoop, protocolConfigNametrasparente, protocolConfigUrlPA, protocolConfigUrlPD, registrazioneTracce, resCacheStato, severita, severita_log4j, stato, statocacheAA, statocacheAuthn, statocacheAuthz, statocacheConfig, statocacheConsegna, statocacheDatiRichieste, statocacheKeystore, statocacheRegistry, statocacheRisposte, statocacheToken, utilizzo, validman)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>statocacheToken=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru, ConfMTFruSoggEro, ConfMTStato, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf, algoritmocacheAuthn, algoritmocacheAuthz, algoritmocacheConfig, algoritmocacheConsegna, algoritmocacheDatiRichieste, algoritmocacheRegistry, algoritmocacheToken, canaliStato, configCaches, connessione,</p>

Node Name	controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>utilizzo=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do ()(ConfMTEroSoggFru,ConfMTFruSoggEro,ConfMTStato,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,__csrf,algoritmocacheAuthn,algoritmocacheAuthz,algoritmocacheConfig,algoritmocacheConsegna,algoritmocacheDatiRichieste,algoritmocacheRegistry,algoritmocacheToken,canaliStato,configCaches,connessione,controllo,corsAAllHdr,corsAAllMeth,corsAAllOrig,corsAllCred,corsAllHead,corsAllMeth,corsExpHead,corsMaxAge,corsMaxAgeSec,corsStato,corsTipo,crlifecacheKeystore,dimensionecacheAuthn,dimensionecacheAuthz,dimensionecacheConfig,dimensionecacheConsegna,dimensionecacheDatiRichieste,dimensionecacheRegistry,dimensionecacheToken,dumpConnettorePA,dumpConnettorePD,edit-mode,gestman,idlecacheAuthn,idlecacheAuthz,idlecacheConfig,idlecacheConsegna,idlecacheDatiRichieste,idlecacheRegistry,idlecacheToken,inoltromin,integman,lifecacheAuthn,lifecacheAuthz,lifecacheConfig,lifecacheConsegna,lifecacheDatiRichieste,lifecacheRegistry,lifecacheToken,nomeintegman,profcoll,protocolConfigNamemodipa,protocolConfigNamesdi,protocolConfigNamespcoop,protocolConfigNametrasparente,protocolConfigUrlPA,protocolConfigUrlPD,registrazioneTracce,resCacheStato,severita,severita_log4j,stato,statocacheAA,statocacheAuthn,statocacheAuthz,statocacheConfig,statocacheConsegna,statocacheDatiRichieste,statocacheKeystore,statocacheRegistry,statocacheRisposte,statocacheToken,utilizzo,validman)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneGenerale.do</p>

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: validman=abilitato The user-controlled value was: abilitato
Instances	144
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031