



ZAP by  
Checkmarx

# GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do>

Generated on Sat, 14 Mar 2026 14:46:51

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	25

## Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)

Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheAlgoritmo=LRU The user-controlled value was: lru
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheDimensione=10000 The user-controlled value was: 10000
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheLifeTime=300 The user-controlled value was: 300
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,</code>

	__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheStato=disabilitato The user-controlled value was: disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTFirstTime=false The user-controlled value was: false
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: ctHttpMode=default The user-controlled value was: default
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,

Node Name	CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: CTNumMaxReqStato=abilitato The user-controlled value was: abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTNumMaxReqTipoErrore=http429 The user-controlled value was: http429
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTNumMaxReqTipoErroreDescr=true The user-controlled value was: true
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,

Node Name	CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: CTpercentualeCongestioneThreshold=55 The user-controlled value was: 55
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTRateLimitTipoErrore=http429 The user-controlled value was: http429
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTRateLimitTipoErroreDescr=true The user-controlled value was: true

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: CTStatoControlloCongestione=abilitato The user-controlled value was: abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: ctSyncMode=default The user-controlled value was: default
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>

Other Info	/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: edit-mode=end The user-controlled value was: end
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ConfigurazioneFirstTime=false The user-controlled value was: false
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheAlgoritmo=LRU The user-controlled value was: lru
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheDimensione=10000 The user-controlled value was: 10000
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,

Node Name	CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheLifeTime=300 The user-controlled value was: 300
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime, CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr, CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: CTCacheStato=disabilitato The user-controlled value was: disabilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime, CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr, CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTFirstTime=false The user-controlled value was: false
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime, CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr, CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__,_csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CNumMaxReqTipoErrore=http429 The user-controlled value was: http429
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CNumMaxReqTipoErroreDescr=true The user-controlled value was: true
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CRateLimitTipoErrore=http429 The user-controlled value was: http429
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CRateLimitTipoErroreDescr=true The user-controlled value was: true
Instances	25
Solution	Validate all input and sanitize output it before writing to any HTML attributes.

Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>