



ZAP by  
Checkmarx

# GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do>

Generated on Sat, 11 Apr 2026 16:46:15

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	25

## Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheAlgoritmo=LRU</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()  (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheDimensione=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()  (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___</p>

	__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheLifeTime=300</p> <p>The user-controlled value was:</p> <p>300</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,</p>

Name	CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTFirstTime=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel_,___i_hidden_lockurl_,___i_hidden_lockvalue_,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ctHttpMode=default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,

Node Name	CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,

Node Name	CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErroreDescr=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTpercentualeCongestioneThreshold=55</p> <p>The user-controlled value was:</p> <p>55</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>

Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  CTRateLimitTipoErrore=http429  The user-controlled value was:  http429
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  CTRateLimitTipoErroreDescr=true  The user-controlled value was:  true

URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>  appears to include user input in:  a(n) [option] tag [value] attribute  The user input found was:  CTStatoControlloCongestione=abilitato  The user-controlled value was:  abilitato
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>  appears to include user input in:  a(n) [option] tag [value] attribute  The user input found was:  ctSyncMode=default  The user-controlled value was:

	default
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  edit-mode=end  The user-controlled value was:  end
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  ConfigurazioneFirstTime=false  The user-controlled value was:  false
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>

Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, ctCount, ctEngineType, ctHttpQuota, ctHttpRemaining, ctHttpReset, ctHttpRetryAfter, ctHttpRetryAfterBackoff, ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  CTCacheAlgoritmo=LRU  The user-controlled value was:  lru
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, ctCount, ctEngineType, ctHttpQuota, ctHttpRemaining, ctHttpReset, ctHttpRetryAfter, ctHttpRetryAfterBackoff, ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  CTCacheDimensione=10000  The user-controlled value was:  10000
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,

	__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheLifeTime=300</p> <p>The user-controlled value was:</p> <p>300</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)</p>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTFirstTime=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a> ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErroreDescr=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTRateLimitTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do">http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p>

	CTRateLimitTipoErroreDescr=true The user-controlled value was: true
Instances	25
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>