



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do>

Generated on Sat, 11 Apr 2026 16:45:51

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

Alerts

Name	Risk Level	Number of Instances
User Controllable HTML Element Attribute (Potential XSS)	Informational	25

Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)

Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheAlgoritmo=LRU</p> <p>The user-controlled value was:</p> <p>lru</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheDimensione=10000</p> <p>The user-controlled value was:</p> <p>10000</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___</p>

	__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheLifeTime=300</p> <p>The user-controlled value was:</p> <p>300</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,</p>

Name	CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTFirstTime=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>ctHttpMode=default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,

Node Name	CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqStato=abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,

Node Name	CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErroreDescr=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___i_hidden_lockurl___i_hidden_lockvalue___csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTpercentualeCongestioneThreshold=55</p> <p>The user-controlled value was:</p> <p>55</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do

Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTRateLimitTipoErrore=http429 The user-controlled value was: http429
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTRateLimitTipoErroreDescr=true The user-controlled value was: true

URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: CTStatoControlloCongestione=abilitato The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: ctSyncMode=default The user-controlled value was:

	default
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTConnectionTimeoutErogazione,CTConnectionTimeoutFruizione,CTFirstTime,CTNumMaxReqSoglia,CTNumMaxReqStato,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,CTReadTimeoutErogazione,CTReadTimeoutFruizione,CTStatoControlloCongestione,CTTempoMedioRispostaErogazione,CTTempoMedioRispostaFruizione,CTpercentualeCongestioneThreshold,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpMode,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl,ctSyncMode,edit-mode)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: edit-mode=end The user-controlled value was: end
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,___i_hidden_locklabel___,___i_hidden_lockurl___,___i_hidden_lockvalue___,csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: ConfigurazioneFirstTime=false The user-controlled value was: false
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do

Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, ctCount, ctEngineType, ctHttpQuota, ctHttpRemaining, ctHttpReset, ctHttpRetryAfter, ctHttpRetryAfterBackoff, ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheAlgoritmo=LRU The user-controlled value was: lru
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf, ctCount, ctEngineType, ctHttpQuota, ctHttpRemaining, ctHttpReset, ctHttpRetryAfter, ctHttpRetryAfterBackoff, ctImpl)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: CTCacheDimensione=10000 The user-controlled value was: 10000
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,

	__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheLifeTime=300</p> <p>The user-controlled value was:</p> <p>300</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>CTCacheStato=disabilitato</p> <p>The user-controlled value was:</p> <p>disabilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do () (CTCacheAlgoritmo,CTCacheDimensione,CTCacheldleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime,__i_hidden_locklabel__,__i_hidden_lockurl__,__i_hidden_lockvalue__,_csrf,ctCount,ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter,ctHttpRetryAfterBackoff,ctlmpl)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTFirstTime=false</p> <p>The user-controlled value was:</p> <p>false</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, _csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTNumMaxReqTipoErroreDescr=true</p> <p>The user-controlled value was:</p> <p>true</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>CTRateLimitTipoErrore=http429</p> <p>The user-controlled value was:</p> <p>http429</p>
URL	http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do ()</p> <p>(CTCacheAlgoritmo,CTCacheDimensione,CTCacheIdleTime,CTCacheLifeTime,CTCacheStato,CTFirstTime,CTNumMaxReqTipoErrore,CTNumMaxReqTipoErroreDescr,CTRateLimitTipoErrore,CTRateLimitTipoErroreDescr,ConfigurazioneFirstTime, __i_hidden_locklabel__, __i_hidden_lockurl__, __i_hidden_lockvalue__, csrf,ctCount, ctEngineType,ctHttpQuota,ctHttpRemaining,ctHttpReset,ctHttpRetryAfter, ctHttpRetryAfterBackoff,ctImpl)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/configurazioneControlloTraffico.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p>

	CTRateLimitTipoErroreDescr=true The user-controlled value was: true
Instances	25
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031