



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do>

Generated on Sat, 11 Apr 2026 16:49:12

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

Alerts

Name	Risk Level	Number of Instances
User Controllable HTML Element Attribute (Potential XSS)	Informational	86

Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?_prevTabKey_=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,</code>

Node Name	<code>__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [td] tag [id] attribute</p> <p>The user input found was:</p> <p><code>__fake__search__=search</code></p> <p>The user-controlled value was:</p> <p>searchformheader</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,</code>

	<pre> __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p> <p>filtroprotocollo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, </pre>

	filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroServiceBinding</p> <p>The user-controlled value was:</p> <p>filtrorservicebinding</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake_search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,</p>

	url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_10=filtroAutenticazioneTrasportoTipo</p> <p>The user-controlled value was:</p> <p>filtroautenticazionetrasportotipo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</p>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_11=filtroConfigurazioneRateLimitingStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneeratelimistingato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_12=filtroConfigurazioneValidazioneStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionevalidazionestato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&__tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&__tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p>

	<p>filterName_13=filtroConfigurazioneCacheRispostaStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneecacherispostastato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<pre>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,__csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_14=filtroConfigurazioneMessageSecurityStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneemessagesecuritystato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes

	2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_15=filtroConfigurazioneMTOMStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneemtostato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, </pre>

Node Name	<code>__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p><code>filterName_16=filtroConfigurazioneTrasformazione</code></p> <p>The user-controlled value was:</p> <p><code>filtroconfigurazionetrasformazione</code></p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,</code>

Node Name	<code>__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_17=filtroConfigurazioneTransazioni</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionestransazioni</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,</code>

	<code>__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p><code>filterName_18=filtroConfigurazioneCorrelazioneApplicativaStato</code></p> <p>The user-controlled value was:</p> <p><code>filtroconfigurazionecorrelazioneapplicativastato</code></p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,</code>

	filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_19=filtroConfigurazioneDumpTipo The user-controlled value was: filtroconfigurazioneedumtipo
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST

Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroGruppo</p> <p>The user-controlled value was:</p> <p>filtrogruppo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_20=filtroConfigurazioneCorsTipo</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionecorstipo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

	<p>The user input found was:</p> <p>filterName_21=subtDatiProp</p> <p>The user-controlled value was:</p> <p>subtdatiprop</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_22=filtroPropNome</p> <p>The user-controlled value was:</p>

	filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_23=filtroPropValore</p> <p>The user-controlled value was:</p> <p>filtropropvalore</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,

Node Name	<pre> __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_3=subtDatiConn</p> <p>The user-controlled value was:</p> <p>subtdaticonn</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, </pre>

Node Name	<code>__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,__csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_4=filtroConnettoreTipo</p> <p>The user-controlled value was:</p> <p>filtroconnettoretipo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,</code>

Node Name	<pre> __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroConnettoreTokenPolicy</p> <p>The user-controlled value was:</p> <p>filtroconnettoretokenpolicy</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, </pre>

	filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=filtroConnettoreEndpoint The user-controlled value was: filtroconnettoreendpoint
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake_search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,

	url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=subtDatiConf The user-controlled value was: subtdaticonf
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroConfigurazioneStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneestado</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_9=filtroAutenticazioneTokenTipo</p> <p>The user-controlled value was:</p> <p>filtroautenticazionetokentipo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&__tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&__tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p>

	<p>filterValue_1=soap</p> <p>The user-controlled value was:</p> <p>soap</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<pre>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,__csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_11=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes

	2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_12=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, __tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, </pre>

Node Name	<pre> __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_13=Aabilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, </pre>

Node Name	<pre> __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_14=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, </pre>

	<pre> __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_15=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, </pre>

	filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_16=Aabilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST

Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_17=Default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_18=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p>

	<p>The user input found was:</p> <p>filterValue_19=Default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=AltroTag</p> <p>The user-controlled value was:</p>

	altrotag
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_22=algo</p> <p>The user-controlled value was:</p> <p>algo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,

Node Name	<code>__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_23=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,</code>

Node Name	<code>__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_5=api-config-test-jwt</p> <p>The user-controlled value was:</p> <p>api-config-test-jwt</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	<code>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,</code>

Node Name	<pre> __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_6=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, </pre>

	filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_8=Abilitato The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake_search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,

	url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_9=AutenticazioneInternaRiconoscimentoApplicativoModl The user-controlled value was: autenticazioneinternariconoscimentoapplicativomodi
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake_search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_3, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_3, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13, filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19, filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15, filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22, filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [td] tag [id] attribute</p> <p>The user input found was:</p> <p>__fake__search__=search</p> <p>The user-controlled value was:</p> <p>searchformheader</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,</p>

	filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p> <p>filtroprotocollo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroServiceBinding</p> <p>The user-controlled value was:</p> <p>filtroservicebinding</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,

Node Name	filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_10=filtroAutenticazioneTrasportoTipo</p> <p>The user-controlled value was:</p> <p>filtroautenticazionetrasportotipo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,__csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_11=filtroConfigurazioneRateLimitingStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneerateliminingstato</p>

URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_12=filtroConfigurazioneValidazioneStato The user-controlled value was: filtroconfigurazionevalidazionestato
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	<p>filterName_13=filtroConfigurazioneCacheRispostaStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneecacherispostastato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0, filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14, filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2, filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1, filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16, filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23, filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_14=filtroConfigurazioneMessageSecurityStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneemessagesecuritystato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0, filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14, filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2, filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1, filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16, filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23, filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_15=filtroConfigurazioneMTOMStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionemtomstato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_16=filtroConfigurazioneTrasformazione</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionetrasformazione</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_17=filtroConfigurazioneTransazioni</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionetransazioni</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_18=filtroConfigurazioneCorrelazioneApplicativaStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazionecorrelazioneapplicativastato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_19=filtroConfigurazioneDumpTipo</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneedumtipo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroGruppo</p> <p>The user-controlled value was:</p> <p>filtrogruppo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,</p>

	filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_20=filtroConfigurazioneCorsTipo</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneecorstipo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_21=subtDatiProp</p> <p>The user-controlled value was:</p> <p>subtdatiprop</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,

Node Name	filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_22=filtroPropNome</p> <p>The user-controlled value was:</p> <p>filtropropnome</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,__csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_23=filtroPropValore</p> <p>The user-controlled value was:</p> <p>filtropropvalore</p>

URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=subtDatiConn The user-controlled value was: subtdaticonn
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	<p>filterName_4=filtroConnettoreTipo</p> <p>The user-controlled value was:</p> <p>filtroconnettoretipo</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0, filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14, filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2, filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1, filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16, filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23, filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroConnettoreTokenPolicy</p> <p>The user-controlled value was:</p> <p>filtroconnettoretokenpolicy</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0, filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14, filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2, filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1, filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16, filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23, filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_6=filtroConnettoreEndpoint</p> <p>The user-controlled value was:</p> <p>filtroconnettoreendpoint</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_7=subtDatiConf</p> <p>The user-controlled value was:</p> <p>subtdaticonf</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroConfigurazioneStato</p> <p>The user-controlled value was:</p> <p>filtroconfigurazioneestado</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_9=filtroAutenticazioneTokenTipo</p> <p>The user-controlled value was:</p> <p>filtroautenticazionetokentipo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=soap</p> <p>The user-controlled value was:</p> <p>soap</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_11=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,</p>

	filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_12=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_13=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,

Node Name	filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_14=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,__csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_15=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>

URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_16=Abitilitato The user-controlled value was: abilitato
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was:

	<p>filterValue_17=Default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_18=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_19=Default</p> <p>The user-controlled value was:</p> <p>default</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=AltroTag</p> <p>The user-controlled value was:</p> <p>altrotag</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_22=algo</p> <p>The user-controlled value was:</p> <p>algo</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_23=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_5=api-config-test-jwt</p> <p>The user-controlled value was:</p> <p>api-config-test-jwt</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_6=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__, _tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,</p>

	filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_8=Abilitato</p> <p>The user-controlled value was:</p> <p>abilitato</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_9=AutenticazioneInternaRiconoscimentoApplicativoModl</p> <p>The user-controlled value was:</p> <p>autenticazioneinternariconoscimentoapplicativomodi</p>
URL	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do (__prevTabKey__,_tabKey_tipologiaErogazione,resetSearch)(__fake__search__,_csrf,filterName_0,

Node Name	filterName_1,filterName_10,filterName_11,filterName_12,filterName_13,filterName_14,filterName_15,filterName_16,filterName_17,filterName_18,filterName_19,filterName_2,filterName_20,filterName_21,filterName_22,filterName_23,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_11,filterValue_12,filterValue_13,filterValue_14,filterValue_15,filterValue_16,filterValue_17,filterValue_18,filterValue_19,filterValue_2,filterValue_22,filterValue_23,filterValue_5,filterValue_6,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/aspsErogazioniList.do?__prevTabKey__=a32fd97f-3018-4294-9648-2e587da1fe4b&_tabKey_tipologiaErogazione=erogazione&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
Instances	86
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031