



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do>

Generated on Tue, 24 Feb 2026 05:11:39

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	2

Alerts

Name	Risk Level	Number of Instances
User Agent Fuzzer	Informational	Systemic
User Controllable HTML Element Attribute (Potential XSS)	Informational	31

Alert Detail

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do

Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
Instances	Systemic
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [a] tag [title] attribute The user input found was: <code>_tabKey_infoType=token</code> The user-controlled value was: token policy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (<code>__i_hidden_title_iconUso_0_0</code> , <code>__i_hidden_title_iconUso_0_4</code> , <code>__i_hidden_title_iconUso_10_0</code> , <code>__i_hidden_title_iconUso_10_3</code> , <code>__i_hidden_title_iconUso_11_0</code> , <code>__i_hidden_title_iconUso_11_3</code> , <code>__i_hidden_title_iconUso_12_0</code> , <code>__i_hidden_title_iconUso_12_3</code> , <code>__i_hidden_title_iconUso_13_0</code> , <code>__i_hidden_title_iconUso_13_3</code> , <code>__i_hidden_title_iconUso_14_0</code> , <code>__i_hidden_title_iconUso_14_4</code> , <code>__i_hidden_title_iconUso_15_0</code> , <code>__i_hidden_title_iconUso_15_4</code> , <code>__i_hidden_title_iconUso_16_0</code> , <code>__i_hidden_title_iconUso_16_4</code> ,

Node Name	<pre> __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_4, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10, url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17, url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6, url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroTipoTokenPolicy The user-controlled value was: filtrotipotokenpolicy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_4, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_4, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_4, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_4, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10, url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17, url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6, url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_0=retrieveToken The user-controlled value was: retrievetoken
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do ()

Node Name	(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_4, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_4, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_4, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_4, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10, url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17, url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6, url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_4, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_4, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_4, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_4, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10, url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17, url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6, url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_8=configurazionePolicyGestioneTokenChange.do?_tabKey_infoType=&idPolicy=2 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=&idpolicy=280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do ()</code> <code>(__i_hidden_title_iconUs0_0,__i_hidden_title_iconUs0_0_4,</code> <code>__i_hidden_title_iconUs0_1_0,__i_hidden_title_iconUs0_1_4,_csrf,be_name_0,chkAll,</code> <code>filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUs0_0=informazioniUtilizzoOggettoRegistro?idOggetto=280&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: informazioniutilizzooggettoregistro?idoggeto=280&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do ()</code> <code>(__i_hidden_title_iconUs0_0,__i_hidden_title_iconUs0_0_4,</code> <code>__i_hidden_title_iconUs0_1_0,__i_hidden_title_iconUs0_1_4,_csrf,be_name_0,chkAll,</code> <code>filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUs0_4=proprietaOggettoRegistro?idOggetto=280&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: proprietaoggettoregistro?idoggeto=280&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do ()</code> <code>(__i_hidden_title_iconUs0_0,__i_hidden_title_iconUs0_0_4,</code> <code>__i_hidden_title_iconUs0_1_0,__i_hidden_title_iconUs0_1_4,_csrf,be_name_0,chkAll,</code> <code>filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUs0_1_0=informazioniUtilizzoOggettoRegistro?idOggetto=281&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: informazioniutilizzooggettoregistro?idoggeto=281&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do

Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUso_1_4=proprietaOggettoRegistro?idOggetto=281&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: proprietaoggettoregistro?idoggetto=281&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroTipoTokenPolicy The user-controlled value was: filtrotipotokenpolicy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_0=retrieveToken The user-controlled value was: retrievetoken
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap

URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: selectcheckbox=280 The user-controlled value was: 280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_0=configurazionePolicyGestioneTokenChange.do? _tabKey_infoType=&idPolicy=280 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=&idpolicy=280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do () (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll, filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/configurazionePolicyGestioneTokenList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_1=configurazionePolicyGestioneTokenChange.do? _tabKey_infoType=&idPolicy=281 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=&idpolicy=281
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_4,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_4,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_4,__i_hidden_title_iconUso_17_0,

Node Name	<code>__i_hidden_title_iconUso_17_4,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_4,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_4,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_4,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterValue_0,limit, search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [a] tag [title] attribute The user input found was: <code>_tabKey_infoType=token</code> The user-controlled value was: token policy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	<code>http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_4,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_4,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_4,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_4,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_4,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_4,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_4,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterValue_0,limit, search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes

	7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroTipoTokenPolicy The user-controlled value was: filtrotipotokenpolicy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_4,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_4,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_4,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_4,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_0=retrieveToken The user-controlled value was: retrievetoken
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_4,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_4,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_4,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_4,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_4,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_4,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,

	__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_4,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterValue_0,limit, search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_4,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_4,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_4,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_4,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_4,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_4,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_4,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterValue_0,limit, search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_8=configurazionePolicyGestioneTokenChange.do?_tabKey_infoType=token&idPolicy=2 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=token&idpolicy=280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,

Node Name	__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUso_0_0=informazioniUtilizzoOggettoRegistro?idOggetto=280&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: informazioniutilizzooggettoregistro?idoggetto=280&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUso_0_4=proprietaOggettoRegistro?idOggetto=280&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: proprietaoggettoregistro?idoggetto=280&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUso_1_0=informazioniUtilizzoOggettoRegistro?idOggetto=281&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: informazioniutilizzooggettoregistro?idoggetto=281&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes

Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: __i_hidden_title_iconUso_1_4=proprietaOggettoRegistro?idOggetto=281&tipoOggetto=TOKEN_POLICY&tipoRisposta=text The user-controlled value was: proprietaoggettoregistro?idoggetto=281&tipoogetto=token_policy&tiporisposta=text
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [a] tag [title] attribute The user input found was: _tabKey_infoType=token The user-controlled value was: token policy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroTipoTokenPolicy The user-controlled value was: filtrotipotokenpolicy
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,

Name	__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_0=retrieveToken The user-controlled value was: retrievetoken
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: selectcheckbox=280 The user-controlled value was: 280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search, selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_0=configurazionePolicyGestioneTokenChange.do?_tabKey_infoType=token&idPolicy=280 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=token&idpolicy=280
URL	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do (__prevTabKey__,_tabKey_infoType,resetSearch)(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_4,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_4,_csrf,be_name_0,chkAll,filterName_0,filterValue_0,search,selectcheckbox,url_entry_0,url_entry_1)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/configurazionePolicyGestioneTokenList.do?__prevTabKey__=f2d122d4-7088-4601-bfa7-3c2254e0cb29&_tabKey_infoType=token&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: url_entry_1=configurazionePolicyGestioneTokenChange.do?_tabKey_infoType=token&idPolicy=281 The user-controlled value was: configurazionepolicygestionetokenchange.do?_tabkey_infotype=token&idpolicy=281
Instances	31
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031