



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do>

Generated on Tue, 24 Feb 2026 05:16:27

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

Alerts

Name	Risk Level	Number of Instances
User Controllable HTML Element Attribute (Potential XSS)	Informational	57

Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__ search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2,</code>

Node Name	__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,

Node Name	<pre> __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroTipoSA The user-controlled value was: filtrotiposa</p>
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroRuolo The user-controlled value was: filtroruolo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,</code>

	__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroGruppo The user-controlled value was: filtrogruppo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,

Node Name	<pre> __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=subDatiProp The user-controlled value was: subdatiprop
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if

Other Info	XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=filtroPropNome The user-controlled value was: filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropValore The user-controlled value was: filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,</code>

	filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_3=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_7=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,

Node Name	__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_8=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do

Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroTipoSA The user-controlled value was: filtrotiposa
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroRuolo The user-controlled value was: filtroruolo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroGruppo The user-controlled value was: filtrogruppo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=subtDatiProp The user-controlled value was: subtdatiprop
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)</code>
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if

Other Info	XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=filtroPropNome The user-controlled value was: filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropValore The user-controlled value was: filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_3=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_7=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_8=ZAP The user-controlled value was: zap

URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11,filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0,

Node Name	<pre> __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,__csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,__csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroTipoSA The user-controlled value was: filtrotiposa
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_10=subtDatiProp The user-controlled value was: subtdatiprop
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0,

	<pre> __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_11=filtroPropNome The user-controlled value was: filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_12=filtroPropValore The user-controlled value was: filtropropvalore
	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes

URL	87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoCredenziali The user-controlled value was: filtotipocredenziali
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11,

	filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroRuolo The user-controlled value was: filtroruolo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11,filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroGruppo The user-controlled value was: filtrogruppo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0,

Node Name	<pre> __i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroApiContesto The user-controlled value was: filtroapicontesto</p>
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake_search__,__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_11=authzContentutitest The user-controlled value was: authzcontentutitest
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf, be_name_0, chkAll, filterName_0, filterName_1, filterName_10, filterName_11, filterName_12, filterName_2, filterName_3, filterName_4, filterName_5, filterName_6, filterName_7, filterName_8, filterName_9, filterValue_11, filterValue_12, filterValue_3, filterValue_8, filterValue_9, limit, search, selectcheckbox, url_entry_0, url_entry_1, url_entry_10, url_entry_11, url_entry_12, url_entry_13, url_entry_14, url_entry_15, url_entry_16, url_entry_17, url_entry_18, url_entry_19, url_entry_2, url_entry_3, url_entry_4, url_entry_5, url_entry_6, url_entry_7, url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_12=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0,

	__i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_3=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_9=ZAP The user-controlled value was: zap
	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes

URL	87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_3, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_3, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_3, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_3, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_3, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_3, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_3, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_3, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_3, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_3, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_3, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_3, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_3, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_3, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, __csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_10,filterName_11,filterName_12,filterName_2,filterName_3,filterName_4, filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_11, filterValue_12,filterValue_3,filterValue_8,filterValue_9,limit,search,selectcheckbox, url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14, url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3, url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroTipoSA The user-controlled value was: filtrotiposa
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroRuolo The user-controlled value was: filtro ruolo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes

Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroGruppo The user-controlled value was: filtrogruppo
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=subtDatiProp The user-controlled value was: subtdatiprop
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080

Other Info	/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=filtroPropNome The user-controlled value was: filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropValore The user-controlled value was: filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_3=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_7=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3, filterValue_7,filterValue_8,search)

Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_8=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do (__prevTabKey__, resetSearch)(__fake__search__, __csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterValue_3,filterValue_7,filterValue_8,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/serviziApplicativiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
Instances	57
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031