



ZAP by  
Checkmarx

# GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/ruoliList.do>

Generated on Sat, 11 Apr 2026 17:18:04

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	24

## Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,

Name	__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroRuoloTipologia</p> <p>The user-controlled value was:</p> <p>filtroruolotipologia</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	

Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroRuoloContesto</p> <p>The user-controlled value was:</p> <p>filtroruolocontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a> (__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_2, csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a> (__i_hidden_title_iconUso_0_0,

Node Name	<pre> __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1, filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_0=interno</p> <p>The user-controlled value was:</p> <p>interno</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2,__i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2,__i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2,__i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0, </pre>

	__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=portaApplicativa</p> <p>The user-controlled value was:</p> <p>portaapplicativa</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a> ()(__i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

Info	<p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroRuoloTipologia</p> <p>The user-controlled value was:</p> <p>filtroruolotipologia</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroRuoloContesto</p> <p>The user-controlled value was:</p> <p>filtroruolocontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a> ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_0=interno</p> <p>The user-controlled value was:</p> <p>interno</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a> ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=portaApplicativa</p> <p>The user-controlled value was:</p>

	portaapplicativa
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do ()(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do">http://127.0.0.1:8080/govwayConsole/ruoliList.do</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch) (  __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,  __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2,  __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2,  __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2,  __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,  __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,  __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,  __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,  __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,  __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,  __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,  __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,  __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,  __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,  __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,  __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,  __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,  __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,  __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,  __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,  filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,  selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,  url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,  url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,  url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroRuoloTipologia</p> <p>The user-controlled value was:</p> <p>filtroruolotipologia</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch) (  __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,  __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2,  __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2,  __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2,  __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,  __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,  __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,  __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,  __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,  __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,  __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,  __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,  __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,  __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,  __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,  __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,  __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,  __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,  __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,  __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,  filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,  selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,  url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,  url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,  url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroRuoloContesto</p> <p>The user-controlled value was:</p> <p>filtroruolocontesto</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p>
	<p>http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)</p>

Node Name	(__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:  <a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>  appears to include user input in:  a(n) [input] tag [value] attribute  The user input found was:  filterName_2=filtroApiContesto  The user-controlled value was:  filtroapicontesto
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch) (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,

	<pre> __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_0=interno</p> <p>The user-controlled value was:</p> <p>interno</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch) (__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search, selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12, url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19, url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8, url_entry_9) </pre>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p>http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=portaApplicativa</p> <p>The user-controlled value was:</p> <p>portaapplicativa</p>
URL	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch) (  __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,  __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_2,  __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_2,  __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_2,  __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,  __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,  __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,  __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,  __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,  __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,  __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,  __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,  __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,  __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,  __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,  __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,  __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,  __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,  __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,  __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_2,_csrf,be_name_0,chkAll,  filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,limit,search,  selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,  url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,  url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,  url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p>

URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroRuoloTipologia</p> <p>The user-controlled value was:</p> <p>filtroruolotipologia</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroRuoloContesto</p> <p>The user-controlled value was:</p> <p>filtroruolocontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p>

Other Info	<p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_0=interno</p> <p>The user-controlled value was:</p> <p>interno</p>
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=portaApplicativa</p> <p>The user-controlled value was:</p>

	portaapplicativa
URL	<a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/ruoliList.do (__prevTabKey__,resetSearch)(_csrf,filterName_0,filterName_1,filterName_2,filterValue_0,filterValue_1,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p><a href="http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/ruoliList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&amp;resetSearch=yes</a></p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
Instances	24
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>