



ZAP by  
Checkmarx

# GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/soggettiList.do>

Generated on Tue, 24 Feb 2026 05:15:47

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	68

## Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,</code>

Node Name	__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,

Node Name	<code>__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroDominio The user-controlled value was: filtrodominio
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoSoggetto The user-controlled value was: filtrotiposoggetto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,</code>

	__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroRuolo The user-controlled value was: filtroruolo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> (__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroGruppo The user-controlled value was: filtrogruppo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> (__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,

Node Name	<code>__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do)(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if

Other Info	XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=subtDatiProp The user-controlled value was: subtdatiprop
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropNome The user-controlled value was: filtropropnome
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,</code>

	filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_9=filtroPropValore The user-controlled value was: filtropropvalore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_1=esterno The user-controlled value was: esterno
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,

Node Name	__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/soggettiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_2=Fruitore The user-controlled value was: fruitore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080 /govwayConsole/soggettiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_4=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi

URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_8=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,

	url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_9=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader

URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroDominio The user-controlled value was: filtrodominio
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoSoggetto The user-controlled value was: filtrotiposoggetto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali

URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroRuolo The user-controlled value was: filtroruolo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroGruppo The user-controlled value was: filtrogruppo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=subtDatiProp The user-controlled value was: subtdatiprop
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>

Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropNome The user-controlled value was: filtropropnome
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_9=filtroPropValore The user-controlled value was: filtropropvalore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_1=esterno The user-controlled value was: esterno
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_2=Fruitore The user-controlled value was: fruitore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,

Node Name	filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_4=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_8=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_9=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do">http://127.0.0.1:8080/govwayConsole/soggettiList.do</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do(__prevTabKey__,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,

Node Name	<pre>__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [td] tag [id] attribute The user input found was: <code>__fake__search__=search</code> The user-controlled value was: <code>searchformheader</code>
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	<pre>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</pre>
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	<pre>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUs0_0,__i_hidden_title_iconUs0_0_2, __i_hidden_title_iconUs0_10_0,__i_hidden_title_iconUs0_10_3, __i_hidden_title_iconUs0_11_0,__i_hidden_title_iconUs0_11_3, __i_hidden_title_iconUs0_12_0,__i_hidden_title_iconUs0_12_3, __i_hidden_title_iconUs0_13_0,__i_hidden_title_iconUs0_13_2, __i_hidden_title_iconUs0_14_0,__i_hidden_title_iconUs0_14_2, __i_hidden_title_iconUs0_15_0,__i_hidden_title_iconUs0_15_2, __i_hidden_title_iconUs0_16_0,__i_hidden_title_iconUs0_16_2, __i_hidden_title_iconUs0_17_0,__i_hidden_title_iconUs0_17_2, __i_hidden_title_iconUs0_18_0,__i_hidden_title_iconUs0_18_2, __i_hidden_title_iconUs0_19_0,__i_hidden_title_iconUs0_19_2, __i_hidden_title_iconUs0_1_0,__i_hidden_title_iconUs0_1_2, __i_hidden_title_iconUs0_2_0,__i_hidden_title_iconUs0_2_2, __i_hidden_title_iconUs0_3_0,__i_hidden_title_iconUs0_3_2, __i_hidden_title_iconUs0_4_0,__i_hidden_title_iconUs0_4_2, __i_hidden_title_iconUs0_5_0,__i_hidden_title_iconUs0_5_2, __i_hidden_title_iconUs0_6_0,__i_hidden_title_iconUs0_6_2, __i_hidden_title_iconUs0_7_0,__i_hidden_title_iconUs0_7_2, __i_hidden_title_iconUs0_8_0,__i_hidden_title_iconUs0_8_2, __i_hidden_title_iconUs0_9_0,__i_hidden_title_iconUs0_9_3,csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</pre>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroDominio The user-controlled value was: filtrodominio
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node	<pre>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUs0_0,__i_hidden_title_iconUs0_0_2, __i_hidden_title_iconUs0_10_0,__i_hidden_title_iconUs0_10_3, __i_hidden_title_iconUs0_11_0,__i_hidden_title_iconUs0_11_3, __i_hidden_title_iconUs0_12_0,__i_hidden_title_iconUs0_12_3, __i_hidden_title_iconUs0_13_0,__i_hidden_title_iconUs0_13_2, __i_hidden_title_iconUs0_14_0,__i_hidden_title_iconUs0_14_2, __i_hidden_title_iconUs0_15_0,__i_hidden_title_iconUs0_15_2, __i_hidden_title_iconUs0_16_0,__i_hidden_title_iconUs0_16_2, __i_hidden_title_iconUs0_17_0,__i_hidden_title_iconUs0_17_2, __i_hidden_title_iconUs0_18_0,__i_hidden_title_iconUs0_18_2, __i_hidden_title_iconUs0_19_0,__i_hidden_title_iconUs0_19_2, __i_hidden_title_iconUs0_1_0,__i_hidden_title_iconUs0_1_2, __i_hidden_title_iconUs0_2_0,__i_hidden_title_iconUs0_2_2,</pre>

Name	__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoSoggetto The user-controlled value was: filtrotiposoggetto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>

URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=resetSearch=yes">4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroRuolo The user-controlled value was: filtroruolo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,

	url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroGruppo The user-controlled value was: filtrogruppo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,

Node Name	__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=subtDatiProp The user-controlled value was: subtdatiprop
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value]

	attribute The user input found was: filterName_8=filtroPropNome The user-controlled value was: filtropropnome
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_9=filtroPropValore The user-controlled value was: filtropropvalore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,

	filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_1=esterno The user-controlled value was: esterno
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_2=Fruitore The user-controlled value was: fruitore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,

Node Name	<code>__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_4=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_8=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_9=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,

	__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_0=filtroProtocollo The user-controlled value was: filtroprotocollo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_1=filtroDominio The user-controlled value was: filtrodominio
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_2=filtroTipoSoggetto The user-controlled value was: filtrotiposoggetto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroTipoCredenziali The user-controlled value was: filtrotipocredenziali
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_4=filtroRuolo The user-controlled value was: filtro ruolo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)

Node Name	(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_5=filtroGruppo The user-controlled value was: filtrogruppo
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_6=filtroApiContesto The user-controlled value was: filtroapicontesto
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_7=subtDatiProp The user-controlled value was: subtdatiprop
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-</a>

Info	8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_8=filtroPropNome The user-controlled value was: filtropropnome
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_9=filtroPropValore The user-controlled value was: filtropropvalore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_1=esterno The user-controlled value was: esterno
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_2=Fruitore The user-controlled value was: fruitore
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_4=ModIRuolo1FonteQualsiasi The user-controlled value was: modiruolo1fontequalsiasi
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_8=authzContenutiTest The user-controlled value was: authzcontenutitest
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterValue_9=ZAP The user-controlled value was: zap
URL	<a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a>
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes">http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=dc3e0429-87d0-4778-b98c-8f4ee74de1ca&amp;resetSearch=yes</a> appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
Instances	68
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>

CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>