



ZAP by
Checkmarx

GovWay Console di Configurazione

Analisi per la console di configurazione di GovWay

Site: <http://127.0.0.1:8080/govwayConsole/soggettiList.do>

Generated on Sat, 11 Apr 2026 17:14:14

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	1

Alerts

Name	Risk Level	Number of Instances
User Controllable HTML Element Attribute (Potential XSS)	Informational	68

Alert Detail

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,</code>

Node Name	<pre> __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [td] tag [id] attribute</p> <p>The user input found was:</p> <p><code>__fake__search__=search</code></p> <p>The user-controlled value was:</p> <p>searchformheader</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p> <p>filtroprotocollo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do ().__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroDominio</p> <p>The user-controlled value was:</p>

	filtrodominio
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p><code>filterName_2=filtroTipoSoggetto</code></p> <p>The user-controlled value was:</p> <p><code>filtrotiposoggetto</code></p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,</code>

Name	__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_3=filtroTipoCredenziali The user-controlled value was: filitrotipocredenziali
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_4=filtroRuolo</p> <p>The user-controlled value was:</p> <p>filtroruolo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, _csrf, be_name_0, chkAll, filterName_0, filterName_1, filterName_2, filterName_3, filterName_4, filterName_5, filterName_6, filterName_7, filterName_8, filterName_9, filterValue_1, filterValue_2, filterValue_4, filterValue_8, filterValue_9, limit, search, selectcheckbox, url_entry_0, url_entry_1, url_entry_10, url_entry_11, url_entry_12, url_entry_13, url_entry_14, url_entry_15, url_entry_16, url_entry_17, url_entry_18, url_entry_19, url_entry_2, url_entry_3, url_entry_4, url_entry_5, url_entry_6, url_entry_7, url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroGruppo</p> <p>The user-controlled value was:</p>

	filtrogruppo
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_6=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node	<pre> http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, </pre>

Name	__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_7=subtDatiProp</p> <p>The user-controlled value was:</p> <p>subtdatiprop</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroPropNome</p> <p>The user-controlled value was:</p> <p>filtropropnome</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, _csrf, be_name_0, chkAll, filterName_0, filterName_1, filterName_2, filterName_3, filterName_4, filterName_5, filterName_6, filterName_7, filterName_8, filterName_9, filterValue_1, filterValue_2, filterValue_4, filterValue_8, filterValue_9, limit, search, selectcheckbox, url_entry_0, url_entry_1, url_entry_10, url_entry_11, url_entry_12, url_entry_13, url_entry_14, url_entry_15, url_entry_16, url_entry_17, url_entry_18, url_entry_19, url_entry_2, url_entry_3, url_entry_4, url_entry_5, url_entry_6, url_entry_7, url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_9=filtroPropValore</p> <p>The user-controlled value was:</p>

	filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=esterno</p> <p>The user-controlled value was:</p> <p>esterno</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,</code>

Name	__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=Frutore</p> <p>The user-controlled value was:</p> <p>frutore</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	

Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_4=ModIRuolo1FonteQualsiasi</p> <p>The user-controlled value was:</p> <p>modiruolo1fontequalsiasi</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__fake__search__, __i_hidden_title_iconUso_0_0, __i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0, __i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0, __i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0, __i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0, __i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0, __i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0, __i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0, __i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0, __i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0, __i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0, __i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0, __i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0, __i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0, __i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0, __i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0, __i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0, __i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0, __i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0, __i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0, __i_hidden_title_iconUso_9_3, _csrf, be_name_0, chkAll, filterName_0, filterName_1, filterName_2, filterName_3, filterName_4, filterName_5, filterName_6, filterName_7, filterName_8, filterName_9, filterValue_1, filterValue_2, filterValue_4, filterValue_8, filterValue_9, limit, search, selectcheckbox, url_entry_0, url_entry_1, url_entry_10, url_entry_11, url_entry_12, url_entry_13, url_entry_14, url_entry_15, url_entry_16, url_entry_17, url_entry_18, url_entry_19, url_entry_2, url_entry_3, url_entry_4, url_entry_5, url_entry_6, url_entry_7, url_entry_8, url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_8=authzContenutiTest</p> <p>The user-controlled value was:</p>

	authzcontenutitest
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<pre> http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9) </pre>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_9=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node	<pre> http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__, __i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, </pre>

Name	__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [td] tag [id] attribute The user input found was: __fake__search__=search The user-controlled value was: searchformheader
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,

	filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p> <p>filtroprotocollo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroDominio</p> <p>The user-controlled value was:</p> <p>filtrodominio</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroTipoSoggetto</p> <p>The user-controlled value was:</p> <p>filtrotiposoggetto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_3=filtroTipoCredenziali</p> <p>The user-controlled value was:</p> <p>filtrotipocredenziali</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_4=filtroRuolo</p> <p>The user-controlled value was:</p> <p>filtroruolo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do

Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroGruppo</p> <p>The user-controlled value was:</p> <p>filtrogruppo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_6=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_7=subtDatiProp</p> <p>The user-controlled value was:</p> <p>subtdatiprop</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroPropNome</p> <p>The user-controlled value was:</p> <p>filtropropnome</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_9=filtroPropValore</p> <p>The user-controlled value was:</p>

	filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=esterno</p> <p>The user-controlled value was:</p> <p>esterno</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=Fruitore</p> <p>The user-controlled value was:</p> <p>fruitore</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	

Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_4=ModIRuolo1FonteQualsiasi</p> <p>The user-controlled value was:</p> <p>modiruolo1fontequalsiasi</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_8=authzContenutiTest</p> <p>The user-controlled value was:</p> <p>authzcontenutitest</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_9=ZAP</p>

	The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do ()(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do appears to include user input in: a(n) [input] tag [value] attribute The user input found was: search=ZAP The user-controlled value was: zap
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	

Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [td] tag [id] attribute</p> <p>The user input found was:</p> <p>__fake__search__=search</p> <p>The user-controlled value was:</p> <p>searchformheader</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	<p>POST</p>
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p>

	filtroprotocollo
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroDominio</p> <p>The user-controlled value was:</p> <p>filtrodominio</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,

Node Name	__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroTipoSoggetto</p> <p>The user-controlled value was:</p> <p>filtrotiposoggetto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,

	url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_3=filtroTipoCredenziali</p> <p>The user-controlled value was:</p> <p>filtrotipocredenziali</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_4=filtroRuolo</p> <p>The user-controlled value was:</p> <p>filtroruolo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroGruppo</p> <p>The user-controlled value was:</p> <p>filtrogruppo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,</p>

Node Name	__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_6=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,

	<code>__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p><code>filterName_7=subtDatiProp</code></p> <p>The user-controlled value was:</p> <p><code>subtdatiprop</code></p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	<code>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</code>
Method	POST
Attack	
Evidence	

Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroPropNome</p> <p>The user-controlled value was:</p> <p>filtropropnome</p>
URL	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p>
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2,__i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3,__i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3,__i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2,__i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2,__i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2,__i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2,__i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2,__i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2,__i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2,__i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2,__i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2,__i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2,__i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2,__i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2,__i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2,__i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2,__i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1,url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_9=filtroPropValore</p> <p>The user-controlled value was:</p>

	filtrpropvalore
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_1=esterno</p> <p>The user-controlled value was:</p> <p>esterno</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2,

Node Name	__i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=Fruitore</p> <p>The user-controlled value was:</p> <p>fruitore</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16,

	url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5,url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_4=ModIRuolo1FonteQualsiasi</p> <p>The user-controlled value was:</p> <p>modiruolo1fontequalsiasi</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p>

Other Info	<p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_8=authzContenutiTest</p> <p>The user-controlled value was:</p> <p>authzcontenutitest</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3, __i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)</p>
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_9=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
	<p>http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,__i_hidden_title_iconUso_0_0,__i_hidden_title_iconUso_0_2, __i_hidden_title_iconUso_10_0,__i_hidden_title_iconUso_10_3,</p>

Node Name	__i_hidden_title_iconUso_11_0,__i_hidden_title_iconUso_11_3, __i_hidden_title_iconUso_12_0,__i_hidden_title_iconUso_12_3, __i_hidden_title_iconUso_13_0,__i_hidden_title_iconUso_13_2, __i_hidden_title_iconUso_14_0,__i_hidden_title_iconUso_14_2, __i_hidden_title_iconUso_15_0,__i_hidden_title_iconUso_15_2, __i_hidden_title_iconUso_16_0,__i_hidden_title_iconUso_16_2, __i_hidden_title_iconUso_17_0,__i_hidden_title_iconUso_17_2, __i_hidden_title_iconUso_18_0,__i_hidden_title_iconUso_18_2, __i_hidden_title_iconUso_19_0,__i_hidden_title_iconUso_19_2, __i_hidden_title_iconUso_1_0,__i_hidden_title_iconUso_1_2, __i_hidden_title_iconUso_2_0,__i_hidden_title_iconUso_2_2, __i_hidden_title_iconUso_3_0,__i_hidden_title_iconUso_3_2, __i_hidden_title_iconUso_4_0,__i_hidden_title_iconUso_4_2, __i_hidden_title_iconUso_5_0,__i_hidden_title_iconUso_5_2, __i_hidden_title_iconUso_6_0,__i_hidden_title_iconUso_6_2, __i_hidden_title_iconUso_7_0,__i_hidden_title_iconUso_7_2, __i_hidden_title_iconUso_8_0,__i_hidden_title_iconUso_8_2, __i_hidden_title_iconUso_9_0,__i_hidden_title_iconUso_9_3,_csrf,be_name_0,chkAll, filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5, filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2, filterValue_4,filterValue_8,filterValue_9,limit,search,selectcheckbox,url_entry_0,url_entry_1, url_entry_10,url_entry_11,url_entry_12,url_entry_13,url_entry_14,url_entry_15,url_entry_16, url_entry_17,url_entry_18,url_entry_19,url_entry_2,url_entry_3,url_entry_4,url_entry_5, url_entry_6,url_entry_7,url_entry_8,url_entry_9)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>search=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3, filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9, filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [td] tag [id] attribute</p>

Info	<p>The user input found was:</p> <p><code>__fake__search__=search</code></p> <p>The user-controlled value was:</p> <p>searchformheader</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_0=filtroProtocollo</p> <p>The user-controlled value was:</p> <p>filtroprotocollo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_1=filtroDominio</p> <p>The user-controlled value was:</p> <p>filtrodominio</p>

URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_2=filtroTipoSoggetto</p> <p>The user-controlled value was:</p> <p>filtrotiposoggetto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_3=filtroTipoCredenziali</p> <p>The user-controlled value was:</p> <p>filtrotipocredenziali</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST

Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_4=filtroRuolo</p> <p>The user-controlled value was:</p> <p>filtroruolo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_5=filtroGruppo</p> <p>The user-controlled value was:</p> <p>filtrogruppo</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p>

Other Info	<p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_6=filtroApiContesto</p> <p>The user-controlled value was:</p> <p>filtroapicontesto</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_7=subtDatiProp</p> <p>The user-controlled value was:</p> <p>subtdatiprop</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterName_8=filtroPropNome</p>

	The user-controlled value was: filtropropnome
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filterName_9=filtroPropValore The user-controlled value was: filtropropvalore
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes appears to include user input in: a(n) [option] tag [value] attribute The user input found was: filterValue_1=esterno The user-controlled value was: esterno
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,

Name	filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_2=Fruitore</p> <p>The user-controlled value was:</p> <p>fruitore</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_4=ModIRuolo1FonteQualsiasi</p> <p>The user-controlled value was:</p> <p>modiruolo1fontequalsiasi</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch)(__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	

Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [option] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_8=authzContenutiTest</p> <p>The user-controlled value was:</p> <p>authzcontenutitest</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other Info	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p> <p>The user input found was:</p> <p>filterValue_9=ZAP</p> <p>The user-controlled value was:</p> <p>zap</p>
URL	http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes
Node Name	http://127.0.0.1:8080/govwayConsole/soggettiList.do (__prevTabKey__,resetSearch) (__fake__search__,_csrf,filterName_0,filterName_1,filterName_2,filterName_3,filterName_4,filterName_5,filterName_6,filterName_7,filterName_8,filterName_9,filterValue_1,filterValue_2,filterValue_4,filterValue_8,filterValue_9,search)
Method	POST
Attack	
Evidence	
Other	<p>User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:</p> <p>http://127.0.0.1:8080/govwayConsole/soggettiList.do?__prevTabKey__=8fea4ae0-e038-4206-bbb8-d5a8d232f54b&resetSearch=yes</p> <p>appears to include user input in:</p> <p>a(n) [input] tag [value] attribute</p>

Info	The user input found was: search=ZAP The user-controlled value was: zap
Instances	68
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031